



Perspective

STROCSS 2021: Strengthening the reporting of cohort, cross-sectional and case-control studies in surgery

Ginimol Mathew ^{a,*}, Riaz Agha ^b, STROCSS Group^a York Teaching Hospital NHS Foundation Trust, York, United Kingdom^b Harley Clinic, London, United Kingdom

ARTICLE INFO

Article history:

Received 2 November 2021

Accepted 25 November 2021

Available online 27 November 2021

Keywords:

Cohort studies

Case-control studies

Cross-sectional studies

Reporting guideline

STROCSS

ABSTRACT

Introduction: Strengthening The Reporting Of Cohort Studies in Surgery (STROCSS) guidelines were developed in 2017 in order to improve the reporting quality of observational studies in surgery and updated in 2019. In order to maintain relevance and continue upholding good reporting quality among observational studies in surgery, we aimed to update STROCSS 2019 guidelines.

Methods: A STROCSS 2021 steering group was formed to come up with proposals to update STROCSS 2019 guidelines. An expert panel of researchers assessed these proposals and judged whether they should become part of STROCSS 2021 guidelines or not, through a Delphi consensus exercise.

Results: 42 people (89%) completed the DELPHI survey and hence participated in the development of STROCSS 2021 guidelines. All items received a score between 7 and 9 by greater than 70% of the participants, indicating a high level of agreement among the DELPHI group members with the proposed changes to all the items.

Conclusion: We present updated STROCSS 2021 guidelines to ensure ongoing good reporting quality among observational studies in surgery.

© 2021 The Authors. Published by Elsevier Ltd on behalf of Surgical Associates Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Observational studies often feature in the surgical literature [1]. However, poor reporting quality among observational studies in surgery has been highlighted [2]. In the absence of good reporting quality, readers are unable to meaningfully assess the research, rendering it less useful [3]. The existence of reporting guidelines and the mandatory implementation of these guidelines by journals have shown to improve the reporting quality among various types of studies [4–6].

Hence, Strengthening The Reporting Of Cohort Studies in Surgery (STROCSS) guidelines were developed in 2017 in order to improve the reporting quality of cohort studies in surgery. Despite the title, STROCSS guidelines aimed to improve the reporting quality of all observational studies in surgery, including case-control studies and cross-sectional studies, as well as cohort studies [7]. STROCSS 2017 guidelines were updated in 2019; since

its inception, STROCSS guidelines have been cited over 1000 times illustrating their acceptance within the surgical research community [8]. We aimed to update STROCSS 2019 guidelines in order to maintain relevance and continue upholding good reporting quality among observational studies in surgery.

2. Methods

The DELPHI methodology used in the development of STROCSS 2017 and 2019 guidelines was used in the development of STROCSS 2021 guidelines [9].

2.1. Coming up with proposals to update STROCSS 2019 guidelines

A STROCSS 2021 steering group was formed; members collaborated over email, Google Docs and WhatsApp Messenger to come up with proposals to update STROCSS 2019 guidelines.

* Corresponding author. York and Scarborough Teaching Hospitals NHS Foundation Trust, York Hospital, Wigginton Road, York, YO31 8HE, United Kingdom.

E-mail address: ginimol.mathew.13@ucl.ac.uk (G. Mathew).

2.2. Delphi process

The proposals to update STROCSS 2019 guidelines were put to an expert panel of researchers; they were asked to assess the proposals and judge whether they should become part of STROCSS 2021 guidelines or not, through a Delphi consensus exercise.

The Delphi questionnaire was sent to all participants using Google Forms. The participants were required to indicate whether they disagreed or agreed with the proposed changes to the 17 items of the STROCSS 2019 guidelines, using a nine-point Likert scale, where 1 indicated "strongly disagree" and 9 indicated "strongly agree". If greater than 70% of participants gave a score between 7 and 9 for a proposed change, this was deemed as consensus and the item was updated. If less than 70% of participants gave a score between 7 and 9 for a proposed change, the item was left unaltered.

2.3. Participants

Researchers who were involved in the development of STROCSS 2017 and 2019 guidelines were invited to participate again. In addition, members of the International Journal of Surgery (IJS) editorial board were invited; IJS has mandated authors submitting surgical research papers using observational methodology to comply with STROCSS guidelines and hence IJS is an ardent supporter of STROCSS guidelines. Participants were accomplished researchers, authors, journal reviewers, editorial board members and

Table 1
STROCSS 2021 Delphi participants' scores ranging between 1 (strongly disagree) and 9 (strongly agree). Items listed correspond to individual sections of STROCSS.

Item	1-3 (%)	4-6 (%)	7-9 (%)
1	2.4	7.2	90.5
2a	0.0	2.4	97.6
2b	0.0	9.6	90.4
2c	2.4	7.2	90.5
2d	0.0	19.1	81.0
3	2.4	7.2	90.5
4a	2.4	7.2	90.5
4b	7.2	14.3	78.5
4c	0.0	11.9	88.2
4d	0.0	7.2	92.8
5a	0.0	7.2	92.8
5b	0.0	14.3	85.7
5c	2.4	4.8	92.8
5d	0.0	19.1	80.9
6a	0.0	4.8	95.2
6b	4.8	14.2	80.9
6c	2.4	9.5	88.1
7a	0.0	9.5	90.4
7b	0.0	14.2	85.7
7c	0.0	11.9	88.1
7d	4.8	9.5	85.7
7e	0.0	14.3	85.7
7f	0.0	11.9	88.1
8	0.0	9.5	90.5
9	2.4	9.6	88.0
10a	0.0	2.4	97.6
10b	0.0	9.5	90.4
10c	0.0	11.9	88.1
11a	0.0	19.0	80.9
11b	0.0	16.7	83.4
11c	0.0	14.3	85.7
12	0.0	9.6	90.4
13	2.4	19.1	78.5
14	0.0	9.5	90.5
15	0.0	14.3	85.7
16	2.4	14.3	83.3
17a	2.4	14.3	83.3
17b	0.0	4.8	95.2
17c	0.0	2.4	97.5

editors representing countries across North America, South America, Europe, Africa, Asia, and Australia.

3. Results

47 people agreed to participate in the development of STROCSS 2021 guidelines; 42 people (89%) completed the DELPHI survey and hence participated in the development of STROCSS 2021 guidelines. Table 1 shows a summary of the scores given by the Delphi participants to indicate agreement or disagreement with the proposed changes to each item of the STROCSS 2019 guidelines. All items received a score between 7 and 9 by greater than 70% of the participants, indicating consensus with the proposed changes to all the items. The revised STROCSS 2021 guidelines are shown in Table 2.

4. Discussion

Since the publication of STROCSS guidelines, it has been cited over 1000 times and thus enjoyed great acceptance within the surgical research community. We present the updated STROCSS 2021 guidelines to continue ensuring good reporting quality among observational studies in surgery; we encourage authors, reviewers, editors, and journals to adopt them.

Authors should cite STROCSS 2021 guidelines in their methods section; additionally, they should submit a completed STROCSS 2021 guidelines checklist alongside their manuscript for reviewers and editors to inspect and ensure compliance. STROCSS website (<https://www.strocsguideline.com>) has provided the STROCSS 2021 guidelines checklist in various formats to ensure accessibility.

5. Conclusion

We present updated STROCSS 2021 guidelines for authors, reviewers, editors, and journals to implement, with a view to ensuring good reporting quality among observational studies in surgery.

International Journal of Surgery author disclosure form

The following additional information is required for submission. Please note that failure to respond to these questions/statements will mean your submission will be returned. If you have nothing to declare in any of these categories, then this should be stated.

Please state any conflicts of interest

None declared - the authors have no financial, consultative, institutional, and other relationships that might lead to bias or conflict of interest.

Please state any sources of funding for your research

None.

Please state whether ethical approval was given, by whom and the relevant judgement's reference number

Not applicable.

Research registration Unique Identifying number (UIN)

1. Name of the registry: Not applicable
2. Unique Identifying number or registration ID: Not applicable
3. Hyperlink to your specific registration (must be publicly accessible and will be checked): Not applicable

Table 2
The full revised STROCSS 2021 checklist

The STROCSS 2021 Guideline		Page
Item no.	Item description	
TITLE		
1	<p>Title</p> <ul style="list-style-type: none"> • The word cohort or cross-sectional or case-control is included* • Temporal design of study is stated (e.g. retrospective or prospective) • The focus of the research study is mentioned (e.g. population, setting, disease, exposure/intervention, outcome etc.) <p>*STROCSS 2021 guidelines apply to cohort studies as well as other observational studies (e.g. cross-sectional, case-control etc.)</p>	
ABSTRACT		
2a	<p>Introduction – briefly describe:</p> <ul style="list-style-type: none"> • Background • Scientific rationale for this study • Aims and objectives 	
2b	<p>Methods - briefly describe:</p> <ul style="list-style-type: none"> • Type of study design (e.g. cohort, case-control, cross-sectional etc.) • Other key elements of study design (e.g. retro-/prospective, single/multi-centred etc.) • Patient populations and/or groups, including control group, if applicable • Exposure/interventions (e.g. type, operators, recipients, timeframes etc.) • Outcome measures – state primary and secondary outcome(s) 	
2c	<p>Results - briefly describe:</p> <ul style="list-style-type: none"> • Summary data with qualitative descriptions and statistical relevance, where appropriate 	
2d	<p>Conclusion - briefly describe:</p> <ul style="list-style-type: none"> • Key conclusions • Implications for clinical practice • Need for and direction of future research 	
INTRODUCTION		
3	<p>Introduction – comprehensively describe:</p> <ul style="list-style-type: none"> • Relevant background and scientific rationale for study with reference to key literature • Research question and hypotheses, where appropriate • Aims and objectives 	
METHODS		
4a	<p>Registration</p> <ul style="list-style-type: none"> • In accordance with the Declaration of Helsinki*, state the research registration number and where it was registered, with a hyperlink to the registry entry (this can be obtained from ResearchRegistry.com, ClinicalTrials.gov, ISRCTN etc.) • All retrospective studies should be registered before submission; it should be stated that the research was retrospectively registered <p>* "Every research study involving human subjects must be registered in a publicly accessible database before recruitment of the first subject"</p>	
4b	<p>Ethical approval</p> <ul style="list-style-type: none"> • Reason(s) why ethical approval was needed • Name of body giving ethical approval and approval number • Where ethical approval wasn't necessary, reason(s) are provided 	
4c	<p>Protocol</p> <ul style="list-style-type: none"> • Give details of protocol (<i>a priori</i> or otherwise) including how to access it (e.g. web address, protocol registration number etc.) • If published in a journal, cite and provide full reference 	
4d	<p>Patient and public involvement in research</p> <ul style="list-style-type: none"> • Declare any patient and public involvement in research • State the stages of the research process where patients and the public were involved (e.g. patient recruitment, defining research outcomes, dissemination of results etc.) and describe the extent to which they were involved. 	
5a	<p>Study design</p> <ul style="list-style-type: none"> • State type of study design used (e.g. cohort, cross-sectional, case-control etc.) • Describe other key elements of study design (e.g. retro-/prospective, single/multi-centred etc.) 	
5b	<p>Setting and timeframe of research – comprehensively describe:</p> <ul style="list-style-type: none"> • Geographical location • Nature of institution (e.g. primary/secondary/tertiary care setting, district general hospital/teaching hospital, public/private, low-resource setting etc.) • Dates (e.g. recruitment, exposure, follow-up, data collection etc.) 	
5c	<p>Study groups</p> <ul style="list-style-type: none"> • Total number of participants • Number of groups • Detail exposure/intervention allocated to each group • Number of participants in each group 	
5d	<p>Subgroup analysis – comprehensively describe:</p> <ul style="list-style-type: none"> • Planned subgroup analyses • Methods used to examine subgroups and their interactions 	

(continued on next page)

Table 2 (continued)

The STROCCS 2021 Guideline		
Item no.	Item description	Page
6a	<p>Participants – comprehensively describe:</p> <ul style="list-style-type: none"> • Inclusion and exclusion criteria with clear definitions • Sources of recruitment (e.g. physician referral, study website, social media, posters etc.) • Length, frequency and methods of follow-up (e.g. mail, telephone etc.) 	
6b	<p>Recruitment – comprehensively describe:</p> <ul style="list-style-type: none"> • Methods of recruitment to each patient group (e.g. all at once, in batches, continuously till desired sample size is reached etc.) • Any monetary incentivisation of patients for recruitment and retention should be declared; clarify the nature of any incentives provided • Nature of informed consent (e.g. written, verbal etc.) • Period of recruitment 	
6c	<p>Sample size – comprehensively describe:</p> <ul style="list-style-type: none"> • Analysis to determine optimal sample size for study accounting for population/effect size • Power calculations, where appropriate • Margin of error calculation 	
METHODS - INTERVENTION AND CONSIDERATIONS		
7a	<p>Pre-intervention considerations – comprehensively describe:</p> <ul style="list-style-type: none"> • Preoperative patient optimisation (e.g. weight loss, smoking cessation, glycaemic control etc.) • Pre-intervention treatment (e.g. medication review, bowel preparation, correcting hypothermia/-volemia/-tension, mitigating bleeding risk, ICU care etc.) 	
7b	<p>Intervention – comprehensively describe:</p> <ul style="list-style-type: none"> • Type of intervention and reasoning (e.g. pharmacological, surgical, physiotherapy, psychological etc.) • Aim of intervention (preventative/therapeutic) • Concurrent treatments (e.g. antibiotics, analgesia, anti-emetics, VTE prophylaxis etc.) • Manufacturer and model details, where applicable 	
7c	<p>Intra-intervention considerations – comprehensively describe:</p> <ul style="list-style-type: none"> • Details pertaining to administration of intervention (e.g. anaesthetic, positioning, location, preparation, equipment needed, devices, sutures, operative techniques, operative time etc.) • Details of pharmacological therapies used, including formulation, dosages, routes, and durations • Figures and other media are used to illustrate 	
7d	<p>Operator details – comprehensively describe:</p> <ul style="list-style-type: none"> • Requirement for additional training • Learning curve for technique • Relevant training, specialisation and operator's experience (e.g. average number of the relevant procedures performed annually) 	
7e	<p>Quality control – comprehensively describe:</p> <ul style="list-style-type: none"> • Measures taken to reduce inter-operator variability • Measures taken to ensure consistency in other aspects of intervention delivery • Measures taken to ensure quality in intervention delivery 	
7f	<p>Post-intervention considerations – comprehensively describe:</p> <ul style="list-style-type: none"> • Post-operative instructions (e.g. avoid heavy lifting) and care • Follow-up measures • Future surveillance requirements (e.g. blood tests, imaging etc.) 	
8	<p>Outcomes – comprehensively describe:</p> <ul style="list-style-type: none"> • Primary outcomes, including validation, where applicable • Secondary outcomes, where appropriate • Definition of outcomes • If any validated outcome measurement tools are used, give full reference • Follow-up period for outcome assessment, divided by group 	
9	<p>Statistics – comprehensively describe:</p> <ul style="list-style-type: none"> • Statistical tests and statistical package(s)/software used • Confounders and their control, if known • Analysis approach (e.g. intention to treat/per protocol) • Any sub-group analyses • Level of statistical significance 	
RESULTS		
10a	<p>Participants – comprehensively describe:</p> <ul style="list-style-type: none"> • Flow of participants (recruitment, non-participation, cross-over and withdrawal, with reasons). Use figure to illustrate. • Population demographics (e.g. age, gender, relevant socioeconomic features, prognostic features etc.) • Any significant numerical differences should be highlighted 	
10b	<p>Participant comparison</p> <ul style="list-style-type: none"> • Include table comparing baseline characteristics of cohort groups • Give differences, with statistical relevance • Describe any group matching, with methods 	

Table 2 (continued)

The STROCCS 2021 Guideline		
Item no.	Item description	Page
10c	<p>Intervention – comprehensively describe:</p> <ul style="list-style-type: none"> • Degree of novelty of intervention • Learning required for interventions • Any changes to interventions, with rationale and diagram, if appropriate 	
11a	<p>Outcomes – comprehensively describe:</p> <ul style="list-style-type: none"> • Clinician-assessed and patient-reported outcomes for each group • Relevant photographs and imaging are desirable • Any confounding factors and state which ones are adjusted 	
11b	<p>Tolerance – comprehensively describe:</p> <ul style="list-style-type: none"> • Assessment of tolerability of exposure/intervention • Cross-over with explanation • Loss to follow-up (fraction and percentage), with reasons 	
11c	<p>Complications – comprehensively describe:</p> <ul style="list-style-type: none"> • Adverse events and classify according to Clavien-Dindo classification* • Timing of adverse events • Mitigation for adverse events (e.g. blood transfusion, wound care, revision surgery etc.) <p>*Dindo D, Demartines N, Clavien P-A. Classification of Surgical Complications. A New Proposal with Evaluation in a Cohort of 6336 Patients and Results of a Survey. <i>Ann Surg.</i> 2004; 240(2): 205-213</p>	
12	<p>Key results – comprehensively describe:</p> <ul style="list-style-type: none"> • Key results with relevant raw data • Statistical analyses with significance • Include table showing research findings and statistical analyses with significance 	
DISCUSSION		
13	<p>Discussion – comprehensively describe:</p> <ul style="list-style-type: none"> • Conclusions and rationale • Reference to relevant literature • Implications for clinical practice • Comparison to current gold standard of care • Relevant hypothesis generation 	
14	<p>Strengths and limitations – comprehensively describe:</p> <ul style="list-style-type: none"> • Strengths of the study • Weaknesses and limitations of the study and potential impact on results and their interpretation • Assessment and management of bias • Deviations from protocol, with reasons 	
15	<p>Relevance and implications – comprehensively describe:</p> <ul style="list-style-type: none"> • Relevance of findings and potential implications for clinical practice • Need for and direction of future research, with optimal study designs mentioned 	
CONCLUSION		
16	<p>Conclusions</p> <ul style="list-style-type: none"> • Summarise key conclusions • Outline key directions for future research 	
DECLARATIONS		
17a	<p>Conflicts of interest</p> <ul style="list-style-type: none"> • Conflicts of interest, if any, are described 	
17b	<p>Funding</p> <ul style="list-style-type: none"> • Sources of funding (e.g. grant details), if any, are clearly stated • Role of funder 	
17c	<p>Contributorship</p> <ul style="list-style-type: none"> • Acknowledge patient and public involvement in research; report the extent of involvement of each contributor 	

Author contribution

RA: Concept and design, data interpretation and analysis, drafting, revision and approval of final manuscript. GM: Design, data collection, data interpretation and analysis, drafting, revision and approval of final manuscript.

Guarantor

Riaz Agha.

Acknowledgements

Michelle Griffin, Stanford University, Palo Alto, United States.

References

- [1] Song J, Chung K. Observational studies: cohort and case-control studies. *Plast Reconstr Surg* 2010;126(6):2234–42.
- [2] Agha R, Lee S, Jeong K, Fowler A, Orgill D. Reporting quality of observational studies in plastic surgery needs improvement. *Ann Plast Surg* 2016;76(5): 585–9.

- [3] von Elm E, Altman D, Egger M, Pocock S, Gøtzsche P, Vandenbroucke J. Strengthening the reporting of observational studies in epidemiology (STROBE) statement: guidelines for reporting observational studies. *PLoS Med* 2007;4(10):296.
- [4] Agha R, Farwana R, Borrelli M, Tickunas T, Kusu-Orkar T, Millip M, et al. Impact of the SCARE guideline on the reporting of surgical case reports: a before and after study. *Int J Surg* 2017;45:144–8.
- [5] Agha R, Borrelli M, Farwana R, Kusu-Orkar T, Millip M, Thavayogan R, et al. Impact of the PROCESS guideline on the reporting of surgical case series: a before and after study. *Int J Surg* 2017;45:92–7.
- [6] Agha R, Fowler A, Limb C, Whitehurst K, Coe R, Sagoo H, et al. Impact of the mandatory implementation of reporting guidelines on reporting quality in a surgical journal: a before and after study. *Int J Surg* 2016;30:169–72.
- [7] Agha R, Borrelli M, Vella-Baldacchino M, Thavayogan R, Orgill D, STROCCS Group. The STROCCS statement: strengthening the reporting of cohort studies in surgery. *Int J Surg* 2017;46:198–202.
- [8] Agha R, Abdall-Razak A, Crossley E, Dowlut N, Iosifidis C, Mathew G, STROCCS Group. STROCCS 2019 guideline: strengthening the reporting of cohort studies in surgery. *Int J Surg* 2019;72:156–65.
- [9] Pill J. The Delphi method: substance, context, a critique and an annotated bibliography. *Soc Econ Plann Sci* 1971;5(1):57–71.